



1. A compound of formula I or of tautomeric formula II

wherein:

R₁ and R₅ are each independently H, F, Cl, Br, CH₂F, CHF₂, CF₃, Me, or OMe;

R₂ and R₄ are each independently H, a branched C₃₋₆-alkyl, F, Cl, Br, CH₂F, CHF₂, CF₃ or

Me, wherein at least one of the groups R₂ or R₄ is a branched C₃₋₆-alkyl; and

R₃ is H, F, Cl, Br, CH₂F, CHF₂, CF₃ or Me,

or a pharmacologically acceptable salt thereof.

2. The compound according to claim 1, wherein:

R₁ and R₅ are each independently H, F, Cl, Br, CF₃, Me, or OMe;

R₂ and R₄ are each independently H, iPr tert-Bu, F, Cl, Br, CF₃ or Me, wherein at least one of the groups R₂ or R₄ is iPr or tert-Bu; and

R₃ is H, F, Cl, Br, CF₃ or Me.

3. The compound according to claim 1, wherein:

R₁ and R₅ are each independently H, F, Cl, Br, CF₃, Me, or OMe;

R₂ and R₄ are each independently H, iPr, tert-Bu or Me, wherein at least one of the groups

R₂ or R₄ is iPr or tert-Bu; and

R₃ is H, F, Cl, Br, or Me.

4. The compound according to claim 1, wherein:

R₁ is H, Cl, Br, or Me;

R₂ is iPr or tert-Bu;

R₃ is H, Br, or Cl;

R₄ is H; and

R₅ is H, Cl, Br, or OMe.

5. The compound according to claim 1, wherein:

R₁ is H or Me;

R₂ is iPr or tert-Bu;

R₃ is H, Cl, or Br;

R₄ is H; and

R₅ is H or OMe.

6. The compound according to claim 1, wherein:

R₁ is H, F, Cl, Br, CH₂F, CHF₂, CF₃, or Me;

R₂ is iPr or tert-Bu; and


R₄ is H.

A compound selected from the group consisting of:

- (a) 3 isopropyl-2'-methylphen-1'-yl-2-iminoimidazolidine 1;
- (b) 3'-tert-butyl-6'-methoxyphen-1'-yl-2-iminoimidazolidine 2;
- (c) 6'-chloro-3'-isopropyl-2'-methylphen-1'-yl-2-iminoimidazolidine 3;
- (d) 4'-chloro-3'-isopropyl-2 methylphen-1'-yl-2-iminoimidazolidine 4;
- (e) 6'-bromo-3'-isopropyl-2'-methylphen-1'-yl-2-iminoimidazolidine <u>5</u>;
- (f) 6'-bromo-3'-tert-butylphen-1'-yl-2 iminoimidazolidine 6; and
- (g) 4'-bromo-3'-isopropyl-2'-methylphen-1'-yl-2-iminoimidazolidine 7.

8. 5'-chloro-3'-isopropyl-2'-methylphen-1'-yl-2-iminaimidazoline 27.

9. The compound according to claim 1, wherein the compound according to formula I is an iminoimidazoliding.



- 11. A pharmaceutical composition comprising the compound according to claim 1 and a pharmaceutically acceptable excipient.
- 12. A pharmaceutical composition comprising the compound according to claim 2 and a pharmaceutically acceptable excipient.
- 13. A pharmaceutical composition comprising the compound according to claim 3 and a pharmaceutically acceptable excipient.
- 14. A pharmaceutical composition comprising the compound according to claim 4 and a pharmaceutically acceptable excipient.
- 15. A pharmaceutical composition comprising the compound according to claim 5 and a pharmaceutically acceptable excipient.
- 16. A pharmaceutical composition comprising the compound according to claim 6 and a pharmaceutically acceptable excipient.
- 17. A pharmaceutical composition comprising the compound according to claim 7 and a pharmaceutically acceptable excipient.
- 18. A pharmaceutical composition comprising the compound according to claim 8 and a pharmaceutically acceptable excipient.
- 19. A pharmaceutical composition comprising the compound according to claim 9 and a pharmaceutically acceptable excipient.

- 20. A pharmaceutical composition comprising the compound according to claim 10 and a pharmaceutically acceptable excipient.
- 21. A method of treating urinary incontinence or a bladder disease in a patient in need thereof, the method comprising administering to the patient an effective amount of the compound according to claim 1.
- 22. A method of treating urinary incontinence or a bladder disease in a patient in need thereof, the method comprising administering to the patient an effective amount of the compound according to claim 2.
- 23. A method of treating urinary incontinence or a bladder disease in a patient in need thereof, the method comprising administering to the patient an effective amount of the compound according to claim 3.
- 24. A method of treating urinary incontinence or a bladder disease in a patient in need thereof, the method comprising administering to the patient an effective amount of the compound according to claim 4.
- 25. A method of treating urinary incontinence or a bladder disease in a patient in need thereof, the method comprising administering to the patient an effective amount of the compound according to claim 5.
- 26. A method of treating urinary incontinence or a bladder disease in a patient in need thereof, the method comprising administering to the patient an effective amount of the compound according to claim 6.
- 27. A method of treating urinary incontinence or a bladder disease in a patient in need thereof, the method comprising administering to the patient an effective amount of the compound according to claim 7.



- 28. A method of treating urinary incontinence or a bladder disease in a patient in need thereof, the method comprising administering to the patient an effective amount of the compound according to claim 8.
- 29. A method of treating urinary incontinence or a bladder disease in a patient in need thereof, the method comprising administering to the patient an effective amount of the compound according to claim 9.
- 30. A method of treating urinary incontinence or a bladder disease in a patient in need thereof, the method comprising administering to the patient an effective amount of the compound according to claim 10.